



Technical Details

Xylo Pro

High Gloss Enamel

Presented by
Xylo Paints
2023

XYLO PRO High-Gloss Enamel

Xylo Paints PRO High-Gloss Enamel imparts a shiny new look to surfaces painted with this finish. It forms a tough film that is highly resistant to household stains. It thereby serves as a protective armour around the painted surface.



BASE MATERIAL: Alkyd Resins and Pigments

PRODUCT BENEFITS

STAIN GUARD

Xylo Pro High-Gloss Enamel is a highly washable paint, thus you can wipe off most common household stains easily


TOUGH AND DURABLE

The oil based film of this enamel makes it one of the toughest & most durable paints which forms a protective armour around surfaces

HIGH GLOSS FINISH

Xylo Pro High-Gloss Enamel gives a mirror like gloss for your doors, windows, grills & gates.

PACKAGES AVAILABLE



1 LTR

4 LTR

20 LTR


SHELF LIFE

18 months

POT LIFE

4 – 6 hours under proper care

COVERAGE



COVERAGE IN TWO COATS

90 – 100 sq. ft per ltr

Coverage on Iron Surface

FINISH



XYLO PRO High-Gloss Enamel

TECHNICAL DETAILS

DILUTION MATERIAL	M.T.O.
DILUTION PROPORTION	15% to 20%
DRY FILM THICKNESS	Minimum 35-40 microns in two coats Maximum 55-60 microns in two coats
TOUCH DRY	3 - 4 hours
NAIL HARDNESS	Excellent after 96 hours
RECOATABILITY	6 - 8 hours
LEVELLING	Self Levelling
OPACITY	Excellent in two coats
SURFACE REQUIREMENT	Smooth and Non-Water Absorbent Surface

XYLO PRO High-Gloss Enamel

APPLICATION PROCEDURE

- **Clean the surface** with appropriate emery paper and cloth.
- Apply one coat of diluted R Two for M.S. Surfaces.
- Apply two coats of MagicXp on all other surfaces like wood and civil surfaces.
- Apply two coats of diluted **XYLO PRO High-Gloss Enamel** with a gap of six to eight hours between coats.



bmtpc



#786 Aggarwal Cyber Plaza 2, Netaji Subhash Place, Pitampura,
New Delhi 110034

xylo@xylopaints.com | +91-9810156132

www.xylopaints.com

NEW DELHI | HARYANA | MAHARASHTRA | TAMIL NADU | KARNATAKA | KERALA